

Fan Blade Installation Instructions

Please read complete instructions before replacing components.


Parts Included

Your kit will include one of the following:

Part #	Qty	Description
080045	1	FAN BLADE,ALUMINUM,7"
OR		
080046	1	FAN BLADE,ALUMINUM,8"

Tools Required

Red Robertson Screwdriver
#2 Phillips Screwdriver
Adjustable (Crescent) Wrench
1/8" Hex (Allen) Wrench



1. Turn main power switch on distiller off and unplug cord from wall plug.
2. Remove the distiller covers, front and rear.
3. Using the hex wrench, remove the set screw attaching the fan blade to the motor shaft. This is best done from the rear of the distiller. Slide blade up & over motor shaft and out the back of the distiller. This may require GENTLY lifting the condensing coil. DO NOT WARP COIL.
4. Attach the new fan blade to the motor. Blade height must be adjusted so that there are no obstructions during rotations. Turn blade by hand to check for obstructions.
5. Reattach front and rear covers.
6. Plug distiller power cord into outlet.
7. Turn distiller power switch on.
8. Test the distiller to ensure the fan is balanced and not striking anything. You may need to drain some distilled water from the distilled water storage tank until the unit returns to service.

The distiller should now operate properly. If it does not, we suggest you take your distiller to an authorized service representative.